J. mar. biol. Ass. U.K. (1996), **76**, i-iv
Printed in Great Britain

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION

CONTENTS: VOLUME 76

Number 1, pp. 1–264, February 1996

PAGE

Influence of water depth, season, habitat and estuary location on the macrobenthic fauna of a seasonally closed estuary. Platell, M.E. and Potter, I.C. 1

Metamorphosis of *Pectinaria koreni* (Annelida: Polychaeta) and recruitment of an isolated population in the English Channel. Lambert, R., Retière, C. and Lagadeuc, Y. 23

Fecundity and seasonal changes in reproductive output of females of the gravel beach amphipod, *Pectenogammarus planicrurus*. Bell, M.C. and Fish, J.D. 37

Nitrogen conversion in a bivalve culture system. Strand, Ø., Solberg, P.T. and Magnesen, T. 57

Predatory relationships of two sympatric squid, *Todaropsis eblanae* and *Illex coindetii* (Cephalopoda: Ommastrephidae) in Galician waters. Rasero, M., Gonzalez, A.F., Castro, B.G. and Guerra, A. 73

The comparative feeding ecology of six species of shark and four species of ray (Elasmobranchii) in the north-east Atlantic. Ellis, J.R., Pawson, M.G. and Shackley, S.E. 89

The annual pattern of condition and maturity in bass, *Dicentrarchus labrax*, in waters around England and Wales. Pawson, M.G. and Pickett, G.D. 107

The olfactory epithelium in plaice (*Pleuronectes platessa*) and sole (*Solea solea*), two flatfishes with contrasting feeding behaviour. Harvey, R. 127

Planktonic dispersion of larval salmon-lice, *Lepeophtheirus salmonis*, associated with cultured salmon, *Salmo salar*, in western Ireland. Costelloe, M., Costelloe, J. and Roche, N. 141

Marine biodiversity: causes and consequences. Ormond, R. 151

Large-scale spatial pattern of the macrobenthic diversity in the eastern English Channel. Sanvicente-Añorve, L., Leprêtre, A. and Davoult, D. 153

An estuarine biodiversity hot-spot. Attrill, M.J., Ramsay, P.M., Thomas, R.M. and Trett, M.W. 161

A study of global biodiversity patterns in the marine motile fauna of hard substrata. Gee, J.M. and Warwick, R.M. 177

Biodiversity of shallow-water Red Sea echinoids: implications for the fossil record. Nebelsick, J.H. 185

Species and generic gamma-scale diversity in shallow-water marine amphipoda with particular reference to the Mediterranean. Myers, A.A. 195

Patterns of biodiversity in the macro-invertebrate fauna associated with mussel patches on rocky shores. Seed, R. 203

The bigger the fewer: size, taxonomic diversity and the range of chlorophyll(ide) pigments in oxygen-evolving marine photolithotrophs. Raven, J.A. 211

The biogeography of islands: preliminary results from a comparative study of the Isles of Scilly and Cornwall. Kendall, M.A., Widdicombe, S., Davey, J.T., Somerfield, P.J., Austen, M.C.V. and Warwick, R.M. 219

Biogeography, community structure and diversity of Red Sea and western Indian Ocean butterflyfishes. Righton, D., Kemp, J. and Ormond, R. 223

The effects of fishing on coral reef fish abundance and diversity. Watson, M., Righton, D., Austin, T. and Ormond, R. 229

The influence of the introduced tropical alga *Caulerpa taxifolia*, on the biodiversity of the Mediterranean marine biota. Bellan-Santini, D., Arnaud, P.M., Bellan, G. and Verlaque, M. 235

Hidden diversity in marine algae: some examples of genetic variation below the species level. Oppen, M.J.H. van, Klerk, H., Olsen, J.L. and Stam, W.T. 239
Seasonal variation in the offspring development of *Onchidoris bilamellata* (Gastropoda: Nudibranchia). Lafuente, I. 243
Environmental and endocrine control of reproduction in two species of polychaete: potential bio-indicators for global climate change. Lawrence, A.J. 247
The distribution of Halacaridae (Acari: Prostigmata) among macroalgae on sheltered rocky shores. Somerfield, P.J. and Jeal, F. 251
Long term trends in the discovery of marine species new to science which occur in Britain and Ireland. Costello, M.J., Emblow, C.S. and Picton, B.E. 255
A note concerning associates of the scavenging amphipod *Orchomene nanus* (Lysianassoidea). Moore, P.G. and Wong, Y.M. 259
Book Notices 263

Number 2, pp. 265–551, May 1996

On the biology of submarine caves with sulphur springs: appraisal of $^{13}C/^{12}C$ ratios as a guide to trophic relations. Southward, A.J., Kennicutt II, M.C., Alcalà-Herrera, J., Abbiati, M., Airoldi, L., Cinelli, F., Bianchi, C.N., Morri, C. and Southward, E.C. 265
Microzooplankton community structure in the north-eastern Atlantic: trends with latitude, depth and date, between May and early August. Sleigh, M.A., Edwards, E.S., John, A.W.G. and Burkill, P.H. 287
An apparent lack of response by metazoan meiofauna to phytodetritus deposition in the bathyal north-eastern Atlantic. Gooday, A.J., Pfannkuche, O. and Lambshead, P.J.D. 297
Bathymetric and seasonal patterns in the sublittoral megafauna off central Chile. Gallardo, V.A., Roa, R., Carrasco, F.D., Cañete, J.I., Enríquez-Briones, S. and Baltazar, M. 311
The size structure of deep-sea meiobenthos in the north-eastern Atlantic: nematode size spectra in relation to environmental variables. Soltwedel, T., Pfannkuche, O. and Thiel, H. 327
Bait-attending amphipods in the deep sea: a comparison of three localities in the north-eastern Atlantic. Christiansen, B. 345
The culture of eggs and embryos of amphipod crustaceans: implications for brood pouch physiology. Morritt, D. and Spicer, J.I. 361
Zonal orientation and spectral filtering in *Talitrus saltator* (Amphipoda, Talitridae). Ugolini, A., Vignali, B., Castellini, C. and Lindström, M. 377
Spatial resolution determined by electrophysiological measurement of acceptance angle in two species of benthic decapod crustacean. Shelton, P.M.J. and Gaten, E. 391
Classification and interpretation of the established Mediterranean biocoenoses based solely on bivalve molluscs. Zenetos, A. 403
Vertical changes in density, size structure and shell shape of the bivalve *Lasaea undulata* within intertidal mussel beds. Iwasaki, K. 417
Feeding and absorption in *Cerastoderma edule* under environmental conditions in the Bay of Marennes-Oleron (western France). Urrutia, M.B., Iglesias, J.I.P., Navarro, E. and Prou, J. 431
The secretory system of the spines of *Ophiocomina nigra* (Echinodermata, Ophiuroidea). Ball, B. and Jangoux, M. 451
A new species of *Ochetostoma* (Echiura, Echiuridae) found in the Azores with notes on its ecology. Rogers, A.D. and Nash, R.D.M. 467
Gastric emptying rate and return of appetite in lesser spotted dogfish, *Scyliorhinus canicula* (Chondrichthyes: Elasmobranchii). Sims, D.W., Davies, S.J. and Bone, Q. 479
The distribution and diet of the dominant, slope-dwelling eel, *Synaphobranchus kaupi*, of the Rockall Trough. Gordon, J.D.M. and Mauchline, J. 493
The effect of decreased ration on feeding hierarchies in groups of greenback flounder (Rhombosolea Tapirina: Teleostei). Carter, C.G., Purser, G.J., Houlihan, D.F. and Thomas, P. 505

An early stage in development of escae and caruncles in the deep-sea anglerfish *Cryptopsaras couesi* (Pisces: Ceratioidei). Munk, O. and Herring, P.J. 517
Female mimicry as a mating tactic in males of the blenniid fish *Salaria pavo*. Gonçalves, E.J., Almada, V.C., Oliveira, R.F. and Santos, A.J. 529
Synchronous penis shedding in the rough periwinkle, *Littorina arcana*. Dytham, C., Grahame, J. and Mill, P.J. 539
The first records of the blue runner *Caranx crysos* (Pisces: Carangidae) in British waters. Swaby, S.E., Potts, G.W. and Lees, J. 543
Suspected viral erythrocytic necrosis (VEN) in the intertidal fish *Mauligobius maderensis* from Madeira, Portugal. Eiras, J.C., Costa, G., Biscoito, M. and Davies, A.J. 545
Book Notices 549

Number 3, pp. 553–838, August 1996

Will deep subtropical ring 'Storm Physalia' cross the Mid Atlantic Ridge and reach America? Pingree, R.D., Sinha, B., New, A.L., Waddington, I., Head, R.N. and Nechvolodov, L.V. 553
A time-series study of foraminiferal assemblages of the Plym Estuary, south-west England. Castignetti, P. 569
The lipid composition of the coccolithophore *Emiliania huxleyi* and its possible ecophysiological significance. Pond, D.W. and Harris, R.P. 579
Biometrics, carbon and nitrogen content in two cnidarians: *Urticina felina* and *Alcyonium digitatum*. Migné, A., Davoult, D., Janquin, M.A. and Kupka, A. 595
Allometry of feeding and body size in a population of the sea anemone *Paranemonia vouliagmeniensis*. Chintiroglou, C.-C., Valkouma, T. and Culley, M. 603
The occurrence of the estuarine polychaete *Lycastopsis littoralis* (Namanereidinae: Nereididae) in the Ría de Bilbao, northern Spain. Gibbs, P.E. and Saiz Salinas, J.I. 617
Distribution of the cirratulid polychaetes *Dodecaceria fimbriata*, *D. concharum* and *D. diceria* in European waters between latitudes 48°N and 70°N. Gibson, P.H. 625
Allozyme evidence of genetic differentiation between populations of *Hediste diversicolor* (Polychaeta: Nereididae) from the western Mediterranean. Abbiati, M. and Maltagliati, F. 637
The effects of dissolved sugars upon the temporary adhesion of barnacle cyprids. Neal, A.L. and Yule, A.B. 649
A redescription of *Protellina ingolfi* (Crustacea, Amphipoda, Caprellidae) from the north-eastern Atlantic. Larsen, K. 657
Mysids of the genus *Boreomysis* from abyssopelagic regions of the north-eastern Atlantic. Hargreaves, P.M. and Murano, M. 665
Brooding and larval developmental periods of the callianassid ghost shrimp, *Callianassa japonica* (Decapoda: Thalassinidea). Tamaki, A., Tanoue, H., Itoh, J. and Fukuda, Y. 675
Chemical communication and behavioural interaction between sexually mature male and female shore crabs (*Carcinus maenas*). Bamber, S.D. and Naylor, E. 691
Validation of rapid assessment of damage in urban mangrove forests and relationships with molluscan assemblages. Skilleter, G.A. 701
An interpretation of the taxonomic relationship between the limpets *Patella rustica* and *P. piperata*. Côrte-Real, H.B.S.M., Hawkins, S.J. and Thorpe, J.P. 717
Ecology of *Sepiola atlantica* (Mollusca: Cephalopoda) in the shallow sublittoral zone. Yau, C. and Boyle, P.R. 733
Vertical distribution correlates with pressure tolerances of early embryos in the deep-sea asteroid *Plutonaster bifrons*. Young, C.M., Tyler, P.A. and Gage, J.D. 749
Comparison of fish assemblages sampled by a shrimp trawl and a fish trawl in St Vincent Bay, New Caledonia. Wantiez, L. 759
Antibacterial and antisettlement activity of the dogfish (*Scyliorhinus canicula*) eggcase. Thomason, J.C., Marrs, S.J. and Davenport, J. 777

Laboratory behaviour of mosshead sculpins *Clinocottus globiceps* toward their sea anemone prey. Yoshiyama, R.M., Knowlton, A.L., Welter, J.R., Comfort, S., Hopka, B.J. and Wallace, W.D. 793
Acoustic assessment of populations of common dolphin *Delphinus delphis* in conjunction with seismic surveying. Goold, J.C. 811
Notes on some branchial isopods parasitic on upogebiid mud-shrimps (Decapoda: Thalassinidea). Astall, C.M., Taylor, A.C. and Atkinson, R.J.A. 821
Sex ratio variation in the intertidal isopod, *Jaera albifrons*. Piertney, S.B. and Carvalho, G.R. .. 825
Effects of copper on the 48-h embryonic development of the bivalve *Scrobicularia plana*. Ruiz, J.M., Bryan, G.W., Wigham, G.D. and Gibbs, P.E. 829
A rare record of the salp, *Thetys vagina* (Tunicata: Thaliacea) from western Scottish waters. Sims, D.W. 833
Book Notices 835

Number 4, pp. 839–1119, November 1996

Mapping a bloom of the coccolithophorid *Emiliania huxleyi* from airborne thematic mapper (ATM) data. Garcia-Soto, C., Sinha, B. and Pingree, R.D. 839
A description of the testate amoeba *Ovulina parva* gen. nov., sp. nov. from coastal marine sediments. Anderson, O.R., Rogerson, A. and Hannah, F. 851
Delectona ciconiae sp. nov. (Porifera, Demospongiae) boring in the scleraxis of *Corallium rubrum*. Bavestrello, G., Calcinai, B. and Sarà, M. 867
Myxilla tarifensis sp. nov. (Porifera, Poecilosclerida), with remarks on the genus *Myxilla* in the Strait of Gibraltar (Iberian Peninsula). Carballo, J.L. and García-Gómez, J.C. 875
Intracellular inclusions in the nematode *Tripyloides marinus* from metal-enriched and cleaner estuaries in Cornwall, south-west England. Millward, R.N. 885
Distribution, ecology and life-cycle of *Maxmuelleria lankesteri* (Echiura: Bonelliidae): a review with notes on field identification. Hughes, D.J., Ansell, A.D. and Atkinson, R.J.A. 897
Suprabenthic crustacean fauna of a dense *Ampelisca* community from the English Channel. Dauvin, J.-C. and Zouhiri, S. 909
The distribution, growth and reproduction of *Pontocrates arenarius* and *P. altamarinus* (Crustacea: Amphipoda) at Millport, Scotland. Beare, D.J. and Moore, P.G. 931
A new genus and species of caridean shrimp (Crustacea: Decapoda: Alvinocarididae) from North Atlantic hydrothermal vents. Vereshchaka, A.L. 951
Recent studies on the crawfish *Palinurus elephas* in South Wales and Cornwall. Hunter, E., Shackley, S.E. and Bennett, D.B. 963
Environmental conditions and physiological tolerances of intertidal fauna in relation to shore zonation at Husvik, South Georgia. Davenport, J. and MacAlister, H. 985
Breeding, recruitment and survival in a mixed intertidal population of the mudsnails *Hydrobia ulvae* and *H. neglecta*. Barnes, R.S.K. 1003
Ecology and systematics of the north European species of *Rissoa* and *Pusillina* (Prosobranchia: Rissoidae). Warén, A. 1013
Allozyme genetics of *Mytilus edulis* subjected to copper and nutritive stress. Beaumont, A.R. and Toro, J.E. 1061
The uptake of zinc from artificial sediments by *Mytilus edulis*. Davies, N.A. and Simkiss, K. 1073
Size selectivity in the diet of *Loligo forbesi* (Cephalopoda: Loliginidae). Collins, M.A. and Pierce, G.J. 1081
Geographical variation in growth and maturation of the squid *Illex coindetii* (Oegopsida, Ommastrephidae) off the north-west African coast. Arkhipkin, A. 1091
Distribution, abundance, population structure and meat yield of the ocean quahog, *Arctica islandica*, in Icelandic waters. Thórarinsdóttir, G.G. and Einarsson, S.T. 1107
Announcement 1115
Book Notices 1117
Index ..... (i)